Moderators: Wang Shenglin, China I Jin Sup Yeom, Korea Upper Cervical Spine I		
10:19 – 10:23	ID79 Three-dimensional Reduction Method With a Modified C2 Isthmus Screw in Irreducible Atlantoaxial Dislocation	Bo Yuan, China
10:23 – 10:27	ID26 Radiological Measurement, Clinical Manifestation, and Treatment of Non-traumatic Occipitoatlantal Instability	Xiangyu Hou, China
10:27 – 10:31	ID383 Biomechanical Aspect Following Occipito-cervical Fusion: Evaluation of Sagittal Profile Alterations and its Relation to Functional Outcomes	Deas M. Emiri, Indonesia
10:31 – 10:45	Q&A	
Cervical Radio	culopathy	
10:45 – 10:49	ID279 Experience in Reconstructive Surgery of the Cranivertebral and Subaxial Spine	Karimov Abduafarrukh, Uzbekistan
10:49 – 10:53	ID100 Are There Differences in Outcome After Posterior Cervical Foraminotomy Performed for Cervical Radiculopathy Caused by Soft Disc and Hard Disc?	Inhee Kim, Korea
10:53 – 10:57	ID332 Reoperation Rates After Anterior Surgeries for Cervical Radiculopathy Related With Injection Therapy: Korean National Population-based Cohort Study	Moon Soo Park, Korea
10:57 – 11:01	ID206 The Comparison of Clinical and Radiological Results of Oblique Keyhole Foraminotomy for the Better Decompression of Cervical Spondylotic Radiculopathy	Sung Hoon Choi, Korea
11:01 – 11:05	ID126 The CASINO Trial: Surgical versus Conservative Management in Patients with Cervical Radiculopathy Due to Intervertebral Disc Herniation: A Prospective Cohort Study	Azra Gül, Netherlands
11:05 – 11:15	Q&A	